INDEX

Page numbers of symposium and clinic titles are given in **boldface** type.

ABDOMEN. See also *Gastrointestinal tract; Peritoneum;* etc.
distention, in intestinal obstruction, 217
pain, vs. adrenocortical insufficiency, 189
Abnormalities, congenital, laryngeal obstruction due to, 258
Abscess. See also *Ulcers;* and under organs and regions.
peritonsillar, 234–5
retropharyngeal, 235–6
submaxillary, 248
Accidents. See also *First aid; Poisoning; Trauma; Wounds;* etc.
cerebrovascular, nontraumatic, 73–7
Acetic acid in lye poisoning, 57
Acetylsalicylic acid poisoning, 62, 63
Acid. See under specific acids, as *Acetic acid;* etc.
Acid-base, balance. See *Acid-base equilibrium.*
equilibrium, 139–40
disturbances, diagnosis, 134–40
metabolic, 133–53
and dehydration, **133–53**
etiology, 141
laboratory findings, 144–5
signs and symptoms, 143–4
therapy, parenteral fluid, 145–51
Acidemia, 139
due to bicarbonate deficit, 142
Acidosis. See also *Acid-base, equilibrium; Ketosis.*
diabetic. See under *Diabetes mellitus.*
in renal tubular failure, 170
metabolic, 140, 142
respiratory, 140
ACTH. See *Adrenocorticotropic hormone.*
Adams-Stokes syndrome, unconsciousness due to, 12
Addison's disease, 183–4
Adenoidectomy, postoperative complications, gastrointestinal hemorrhage due to, 210
Adenomatoid malformation, cystic, congenital, of lungs, 301
Adhesions, intestinal, 224
peritoneal, 228
Adrenals. See also *Addison's disease; Adrenocorticotropic hormone.*
cortex, function of, laboratory determination, 178–81
insufficiency, **177–99**
chronic, 181–6
differential diagnosis, by disease, 187–8
by signs and symptoms, 188–9
therapy, 189–3
evaluation of effects, 192–3
unsolved problems, 193, 196
corticosteroids, and Waterhouse-Friderichsen syndrome, 193
crisis, 186–7
hemorrhage, in newborn, 196
hyperplasia, virilizing, 181–3
insufficiency, chronic, iatrogenic, 185–6
iatrogenic, 193
medulla, insufficiency, 196
Adrenocortical. See *Adrenals, cortex.*
Adrenocorticotropic hormone test of adrenocortical function, 179
Airway, evaluation, in burns, 278, 279
Akinetic seizures, 103

Alcohol, ethyl, intoxication, 52–3
Aldosterone, 177
in evaluation of adrenocortical function, 180–81
replacement, in adrenocortical insufficiency, 192
Alkalemia, 139
due to bicarbonate excess, 142
Alkalosis. See also *Acid-base, equilibrium; Acidosis.*
metabolic, 140, 142
respiratory, 140
Aminophylline, in anaphylaxis, 34
in status asthmaticus, 307
poisoning, 45–6
para-Aminosalicylic acid, in tuberculosis, 244
in tuberculous meningitis, 85
Ammonium carboxylic resin in glomerular failure, 165
Amphetamine in convulsions, 106
Amphotericin, in Cryptococcus meningitis, 86, 87
in Histoplasma meningitis, 87
Amyl nitrite in cyanide poisoning, 51
Anaphylactoid reactions, 30
Anaphylaxis, **29–40**
clinical manifestations, 31
differential diagnosis, 31–2
etiology, 32, 33
immunology, 29–31
pathophysiology, 29–31
prevention, 35–7
therapy, 32, 34–5
Androgens in evaluation of adrenocortical function, 180
Anemia in acute renal failure, 172
Aneurysm, aortic, syphilitic, 250
Angina, Ludwig's, 248–9
Angiocardiography in heart failure, 126, 127
Angioedema. See *Edema, angioneurotic.*
Angiography in convulsions, 104
Anomalies. See *Abnormalities.*
Anorectum, fissure, gastrointestinal hemorrhage due to, 205
Antibiotics. See also specific drugs, as *Penicillin;* etc.
for burns, 284
Antidote, universal, 45
in plant poisoning, 61
Antihistamines, poisoning, 46
Antitoxin in diphtheria, 241
Anus. See also *Rectum.*
imperforate, 221–2
Aorta, aneurysm, syphilitic, 250
Apt test for fetal or maternal blood 203
Aramine. See *Metaraminol bitartrate.*
Arsenic poisoning, 46–7
Arterial thrombosis, 74–6
Ascorbic acid in nitrate poisoning, 59
Aspiration of foreign body, 305–306
Aspirin. See *Acetylsalicylic acid.*
Asthma. See also *Anaphylaxis.*
status asthmaticus, 307–308
Atelectasis. See *Lungs, collapse.*
Atresia, colonic, 221
duodenal, 220
esophageal, 219–20
ileal, 220–21
jejunal, 220–21
Atropine. See also *Belladonna.*
in mushroom poisoning, 58
poisoning, 47
Atropine sulfate in phosphate poisoning, 61

BAL. See *Dimercaprol.*
Bandaging versus exposure in burns, 284–5
Barbiturates. See also *Phenobarbital.*
poisoning, 47–8
Beans, broad, fava, horse; poisoning by, 53
castor, poisoning by, 50
Belladonna. See also *Atropine.*
poisoning, 47
Bemegride in barbiturate poisoning, 47, 48
Benadryl. See *Diphenhydramine.*
Bites, black widow spider, 48
snake, 63
Black widow spider bite, 48
Blood. See also *Anemia.*
circulation, decreased peripheral resistance to, shock due to, 20
in feces, 201
flow. See *Blood, circulation.*
maternal, ingested, gastrointestinal hemorrhage due to, 203
potassium, hyperkalemia, in glomerular failure, 165
potassium deficit with, 142
hypokalemia, potassium deficit with, 142
pressure, high, in acute renal failure, therapy, 173–4
in heart failure, 121
sugar. See also *Dextrose; Diabetes mellitus; Insulin;* etc.
hypoglycemia, unconsciousness due to, 10
in diabetic acidosis, 267
test of adrenocortical function, 180

Blood, transfusion, in shock, 21, 22
venous return to heart, inadequate, shock due to, 19
increase in, in shock, 23–4
volume. See also *Heart, output.*
decreased, shock due to, 18–19
expansion, in diabetic acidosis, 271–2
replacement, in shock, 21–2
Body fluids. See *Fluids, body.*
Bones. See also *Cranium;* and specific bones.
age, in evaluation of adrenocortical function, 180
Boric acid poisoning, 48
Botulism, 49
Brain. See also *Cerebellum; Head; Hypothalamus; Nervous system;* etc.
abscess, 90–92
unconsciousness due to, 8
edema, management, 71–2
electroencephalography, in convulsions, 104
emboli, 74
emergencies, 67–100
hemispheres, tumors, 95–6
infarction, management, 77
infections, 78–92
pneumoencephalography, in convulsions, 104
thrombosis, 74–7
tumors, 92–6
suspected, management of, 96
Brewer's yeast in thallium poisoning, 64, 65
Bronchiolitis, 301–303
Bronchitis, asthmatic, 301
capillary, 301
laryngotracheal, bacterial, 247–8
Bronchopneumonia, 303
Burns, 277–96
débridement, 285–93
extent and depth, calculation, 279–81
first aid, 277–8
laboratory determinations, 284
nutrition in, 293
treatment, **277–96**
after-care, 293–5
early, 278–85
wound care, 284–5
wound closure, 285–93

CAFFEINE, in carbon tetrachloride poisoning, 49
in DDT poisoning, 51
in naphthalene poisoning, 58
Calcium disodium versenate in lead poisoning, 56
Calcium gluconate solution, in arsenic poisoning, 46
in black widow spider bite, 48
in carbon tetrachloride poisoning, 49
in DDT poisoning, 51
in fluoride poisoning, 53
Carbon monoxide poisoning, 49
Carbon tetrachloride poisoning, 49
Cardiac. See *Heart.*
Cardiovascular conditions, unconsciousness due to, 12
Cardiovascular malformations, congenital, heart failure due to, 118
Carotid sinus syndrome, unconsciousness due to, 12
Castor bean poisoning, 50
Catheter, urinary, in burns, 283–4
Catheterization, cardiac, in heart failure, 126, 127
Cecum, duplication, 225
Cerebellum, tumors, 93–4
Cerebral. See *Brain.*
Cerebrovascular accidents, nontraumatic, 73–7
Charcoal, activated, in thallium poisoning, 64
Chiasm, optic, tumors of, 95
Chloramphenicol in meningitis, 79, 80
Chlorate poisoning, 50
Chlordane poisoning, 50
Chlorophenothane poisoning, 51
Chlorothiazide in heart failure, 126
Chlorpromazine poisoning, 60
Chlortetracycline in meningitis, 80
Chorea, laryngeal, 259
Clorox. See *Hypochlorite.*
Colitis, ulcerative, gastrointestinal hemorrhage due to, 212
Colloid-containing fluids in diabetic acidosis, 271
Colon. See also *Cecum; Colitis; Gastrointestinal tract; Intestines;* etc.
atresia, 221
polyps, gastrointestinal hemorrhage due to, 206, 208–10
Coma, 3–16
and keto-acidosis, diabetic, management of, **263–76**
emergency treatment, 15–16
etiologic classification, 5–6
neurologic evaluation 4–5
Compazine. See *Prochlorperazine.*
Concussion, 69
Consciousness, loss of. See *Coma.*
Convulsions, 101–12. See also *Epilepsy.*
activated, 105–106
clinical types, 102–103
diagnosis, 103

Convulsions, etiology, 101–102
febrile, 105–106
grand mal, therapy, 104–105
laboratory procedures, 103–104
prognosis, general, 111
therapy, long-term, 108–110
nondrug aspects, 110–11
unconsciousness due to, 9
Copper sulfate solution in phosphorus poisoning, 61
Corticosterone, 177
Cortisol, 177. See also *Hydrocortisone*.
in evaluation of adrenocortical function, 178–80
replacement, in adrenocortical insufficiency, 189–91
Cortisone, in Addison's disease, 184
in adrenocortical insufficiency, 189, 190, 191
in hypopituitarism, 185
in virilizing adrenal hyperplasia, 183
Cranium. See also *Brain; Head;* etc.
fractures, 68–9
Crisis, adrenal, 186–7
Croup, false or spasmodic, 257
Cryptococcus meningitis, 86, 87
Cyanide poisoning, 51
Cyanosis in heart failure, 121
Cystic adenomatoid malformation of lungs, congenital, 301
Cysts of lungs, congenital, 300–301

DARAPRIM. See *Pyrimethamine*.
DDT. See *Chlorophenothane*.
Death, sudden, in sibling, vs. adrenocortical insufficiency, 189
Débridement of burns, 285–93
Dehydration, 133–53
and metabolic acid-base disturbances, **133–53**
definition, 138
diagnosis, 134–40
etiology, 141
hypertonic, 138–9
hypotonic, 138–9
isotonic, 138–9
laboratory findings, 144–5
signs and symptoms, 143–4
therapy, parenteral fluid, 145–51
Demerol. See *Meperidine*.
Dexedrine. See *Amphetamine*.
Desoxycorticosterone acetate, in Addison's disease, 184
in adrenocortical insufficiency, 190, 191, 192
in virilizing adrenal hyperplasia, 183
Dextrose. See also *Blood, sugar*.
in burns, 282, 284
Diabetes mellitus. See also *Blood, sugar*.
acidosis, clinical manifestations, 264–5
diagnosis, 264–5
therapy, balanced repair, 273–5
guides to, 265–8
oral, 275
keto-acidosis and coma, management of, **263–76**
unconsciousness due to, 10
Diabetic keto-acidosis and coma, management of, **263–76**
Dialysis, renal, in glomerular failure, 165, 166
Diaphragm, hernia. See *Hernia, diaphragmatic*.
Dieldrin poisoning, 52
Diencephalon, tumors, 95
Digitalis, in heart failure, 123–5
poisoning, 52
Digoxin in heart failure, 123, 124
Dilantin. See *Diphenylhydantoin*.
Dimercaprol, in arsenic poisoning, 46
in mercury poisoning, 57
Diphenhydramine, in anaphylaxis, 34
poisoning, 46
Diphenylhydantoin in convulsions, 109
Diphtheria, laryngeal obstruction due to, 240–41
Distention, abdominal, in intestinal obstruction, 217
Diuresis in renal failure, 162–3
Diuretics in heart failure, 125–6
Diuril. See *Chlorothiazide*.
Diverticulum, Meckel's gastrointestinal hemorrhage due to, 203–204, 205–206, 210
DOCA. See *Desoxycorticosterone acetate*.
Drugs. See also specific drugs.
dosage, in meningitis, 80
to replace cortisol and aldosterone, 190, 191
Duodenum, atresia or stenosis, 220
Dural sinus thrombosis, 76
unconsciousness due to, 8
Dyspnea. See also *Asthma*.
in heart failure, 120

EDATHAMIL in iron sulfate poisoning, 54, 55
Edema, angioneurotic, supraglottic, 256–7
cerebral, management of, 71–2
in heart failure, 121
pulmonary, in heart failure, 126
subglottic, allergic, 257

Electroencephalography in convulsions, 104
Electrolytes. See also specific electrolytes.
disturbances, unconsciousness due to, 10–11
solutions, in diabetic acidosis, 271, 274
Emboli, cerebral, 74
pulmonary, 306
Emergencies. See also *Accidents; Anaphylaxis; First aid; Trauma*; etc.
medical, symposium on, **1–309**
of cerebral origin, **67–100**
of pulmonary origin, **297–309**
Emergency kit for use in anaphylaxis, 34
Emphysema, lobar, congenital, 299–300
Encephalitis, 88–90
para-infectious, 88–90
postinfectious, 89
toxic, acute, 88
unconsciousness due to, 12–13
viral, 88
Encephalomyelitis, 89
Epidural hemorrhage, 69–70
Epiglottitis, 239–40
Epilepsy, akinetic seizure, 103
focal seizures, 103
grand mal, 102
laryngeal, 259
petit mal, 102
psychomotor seizures, 102
status epilepticus, 106–108
Epinephrine, in anaphylaxis, 32, 34
in laryngeal angioedema, 257
in status asthmaticus, 307
in subglottic allergic edema, 257
Epistaxis. See *Nose, hemorrhage.*
Erythromycin, in diphtheria, 241
in meningitis, 79, 80
Esophagus, atresia, 219–20
duplication, 225
varices, gastrointestinal hemorrhage due to, 207, 210
Ethyl alcohol. See *Alcohol, ethyl.*
Exposure versus bandaging in burns, 284–5
Eyes in unconscious patient, 4, 5

FAVISM, 53
Feces, blood in, 201
in intestinal obstruction, 216–17
Ferric chloride test in diabetic acidosis, 267
First aid in burns, 277–8
Fissure, anorectal, gastrointestinal hemorrhage due to, 205
Fistula, tracheo-esophageal, 219, 220
Fludrocortisone in adrenocortical insufficiency, 190, 191, 192
Fluids, and electrolyte disturbances, unconsciousness due to, 10–11
body, hypertonicity, 141
hypotonicity, 141
isotonicity, 141
colloid-containing, in diabetic acidosis, 271
requirements, in burns, estimation of, 281–3
in renal tubular failure, 168
shifts, 139, 142
therapy, in burns, 278
in diabetic acidosis, 270–71, 273, 274, 275
in meningitis, 81
in status epilepticus, 108
intravenous, in adrenocortical insufficiency, 192
volume deficit, 141
Fluorides, poisoning, 53
Fluorocortisol. See *Fludrocortisone.*
Food poisoning, 53–4
Foreign body aspiration, 305–306
laryngeal obstruction due to, 245–6
Forrest test in phenothiazine poisoning, 60
Fractures of cranium, 68–9

GANGLIA, basal, tumors of, 95
Gastric. See *Stomach.*
Gastritis. See *Stomach, inflammation.*
Gastroenteritis. See also *Food poisoning.*
vs. adrenocortical insufficiency, 188
Gastrointestinal tract. See also *Colon; Intestines; Rectum; Stomach*; etc.
hemorrhage, 201–13
etiology, 201–203
in newborn, 203–205
massive, acute, **201–13**
therapy, 212–13
2 years of age and older, 208–12
6 weeks to 2 years of age, 205–207
Genitals, ambiguous, vs. adrenocortical insufficiency, 188
Glomeruli. See under *Kidneys.*
Glomerulonephritis. See *Nephritis, glomerular.*
Glottis, infection, laryngeal obstruction due to, 239–40
Glucose question in diabetic acidosis, 272–3

Glucose solution, in alcohol intoxication, 52
in glomerular failure, 166, 167
in renal failure, 172
Grand mal. See under *Epilepsy*.
Growth retardation due to heart failure, 120
Gummata, syphilitic, of larynx, 245

HEAD. See also *Brain*; *Cranium*; etc.
injuries, 67–72
general management, 67–8
Heart. See also *Blood, circulation*; *Cardiovascular*; etc.
block, Adams-Stokes syndrome, 12
catheterization, in heart failure, 126, 127
failing, performance of, 115–17
failure. See *Heart, insufficiency*.
insufficiency, **113–31**
clinical manifestations, 119–22
congestive, in acute renal failure, therapy, 174
diagnostic procedures, 126–7
etiology, 117–19
hemodynamics, 114–17
incidence, 117–19
physiology, 114–17
therapy, 122–8
medical, 122–6
surgical, 127–8
murmurs and sounds, in heart failure, 120, 121
output. See also *Blood, circulation*; *Blood, volume*.
inadequate, shock due to, 20
increased, in shock, 24
performance, factors regulating, 114–15
Hematochezia. See *Feces, blood in*.
Hematoma, subdural, unconsciousness due to, 7
Hemiplegia, infantile, acute, 75
Hemorrhage, adrenal, in newborn, 196
gastrointestinal, massive, acute, **201–13**
intracerebral, unconsciousness due to, 7
intracranial, 69–71
vs. adrenocortical insufficiency, 187
intraventricular, unconsciousness due to, 7
subarachnoid, spontaneous, unconsciousness due to, 7
Hemorrhagic diatheses, unconsciousness due to, 11–12
Hepatomegaly in heart failure, 121
Hernia, diaphragmatic, gastrointestinal hemorrhage due to, 212
incarcerated, 225–6
vs. congenital cystic malformation of lungs, 301
hiatus. See *Hernia, diaphragmatic*.
inguinal, incarcerated, 226
intra-abdominal, incarcerated, 226
Hiatus hernia. See *Hernia, diaphragmatic*.
Histoplasma meningitis, 87
Homatropine poisoning, 47
Hormones, adrenocortical, function of, 177–8
Hydrating solutions. See *Solutions, hydrating*.
Hydrocarbons, poisoning by, 55, 56
Hydrocortisone, in anaphylaxis, 35
in laryngeal angioedema, 257
in meningitis, 81
in status asthmaticus, 308
in Waterhouse-Friderichsen syndrome, 83
Hydroxycorticoids, urinary, excretion, 178
Hykinone. See *Vitamin* K_1.
Hyperchloremia, 142
Hyperkalemia. See under *Blood, potassium*.
Hypernatremia, sodium deficit with, 142
unconsciousness due to, 11
Hyperpigmentation vs. adrenocortical insufficiency, 189
Hypertension. See *Blood, pressure, high*.
Hypochloremia, 142
Hypochlorite poisoning, 54
Hypoglycemia. See under *Blood, sugar*.
Hypokalemia. See under *Blood, potassium*.
Hyponatremia, in renal tubular failure, 171
sodium deficit with, 142
unconsciousness due to, 11
Hypopituitarism, 184–5
Hypothalmus. See also *Pituitary*.
tumors, 95

IATROGENIC. See *Physicians*.
Ileum, atresia, 220–21
duplication, 225
stenosis, 220–21
Ileus, meconium, 222–4
Immunology in anaphylaxis, 29–31
Infantile hemiplegia, acute, 75
Infantile spasms, 103
Infarction, cerebral, management of, 77
pulmonary, 306

Infection. See also *Septicemia.*
at glottis, laryngeal obstruction due to, 239–40
cerebral, 78–92
extraluminal, laryngeal obstruction due to, 248–55
in acute renal failure, therapy, 173
infraglottal, 240–48
intraluminal, laryngeal obstruction due to, 233–48
pharyngeal space, lateral, 236–7
response to, vs. adrenocortical insufficiency, 189
supraglottal, laryngeal obstruction due to, 233–8
systemic, unconsciousness due to, 12–13
unconsciousness due to, 8
Infectious mononucleosis, laryngeal obstruction due to, 237–8
Infraglottal infections, 240–48
Inguinal hernia, incarcerated, 226
Injuries. See *Accidents; Burns; Fractures; Trauma; Wounds;* under organs and regions; etc.
Insulin. See also *Blood, sugar, hypoglycemia; Diabetes mellitus.*
in alcohol intoxication, 52
in diabetic acidosis, 268–70
in glomerular failure, 166, 167
Intestines. See also *Cecum; Colon; Duodenum; Feces; Gastrointestinal tract; Ileum; Rectum;* etc.
adhesions, 224
bands, 224
duplications, 224–5
malrotation, 226–7
obstruction, **215–31**
acquired, 227–8
congenital, 218–27
extrinsic, 224–7
intrinsic, 218–24
etiologic types, 218–28
pathologic physiology, 217–18
symptoms, 215–17
Intoxication. See also *Poisoning.*
alcohol, 52–3
Intracerebral hemorrhage, 71
unconsciousness due to, 7
Intracranial disorders, primary, unconsciousness due to, 6–9
Intracranial hemorrhage, 69–71
vs. adrenocortical insufficiency, 187
Intraventricular hemorrhage, unconsciousness due to, 7
Intussusception, 227–8
gastrointestinal hemorrhage due to, 207
Ipecac, syrup of, in laryngotracheobronchitis, 242
to induce emesis, 44
Iron sulfate poisoning, 54–5
Ischemia, acute renal failure due to, 156–8
Isoniazid, in tuberculosis, 244
in tuberculous meningitis, 85, 86
Isonicotinic acid hydrazide. See *Isoniazid.*

JEJUNUM. See also *Intestines; Intussusception.*
atresia, 220–21
duplication, 225
stenosis, 220–21
Jimson weed poisoning, 55

KANAMYCIN in meningitis, 79, 80
Kerosene poisoning, 55–6
Keto-acidosis and coma, diabetic, management of, **263–76**
Ketosis. See also *Acidosis; Diabetes mellitus, acidosis.*
definition, 142
Ketosteroids, urinary, excretion, 180
Kidneys, defect, vs. adrenocortical insufficiency, 188
dialysis, in glomerular failure, 165, 166
failure, acute, 155–75
diuretic phase, 162–3
due to postrenal failure, 159
due to prerenal failure, 158
due to renal failure, 156–8
etiology, 155–6
functional alterations, 159–63
oliguric phase, 161–2
pathogenesis, 156–9
pathogenesis and management, **155–75**
prognosis, 174
recovery phase, 163
therapy, 163–74
glomeruli. See also *Nephritis, glomerular.*
failure of, therapy, 164–8
tubules, failure of, therapy, 168–72

LARYNGEAL chorea; epilepsy; syncope, 259
Laryngitis, subglottic, 247–8
Laryngotracheobronchitis, 241–2
bacterial, 247, 248

Larynx, infection, viral, 241–2
obstruction, **233–62**
due to congenital structural anomalies, 258
due to metabolic disorders, 259
noninfectious, 255–60
of central nervous system origin, 259–60
syphilitic gummata, 245
tetany, 259
tuberculosis, 243–4
tumors, benign, 255–6
Lavage, gastric, in poisoning, 44, 45
Lead poisoning, 56
unconsciousness due to, 14–15
Leukoencephalitis, hemorrhagic, acute, 90
Levarterenol bitartrate, in anaphylaxis, 34
in shock, 23
in Waterhouse-Friderichsen syndrome, 84
Levophed. See *Levarterenol bitartrate*.
Lobar emphysema, congenital, 299–300
Ludwig's angina, 248–9
Lumbar puncture in convulsions, 103–104
Lungs, collapse, 306
cystic adenomatoid malformation, congenital, 301
cystic lesions, congenital, 300–301
edema, in heart failure, 126
emboli, 306
emergency conditions, 297–309
infarction, 306
Lye poisoning, 57

MAGNESIUM sulfate in lead poisoning, 56
Malformation, adenomatoid, congenital cystic, of lungs, 301
Malrotation, intestinal, 226–7
Mass myoclonus, 103
Measles, laryngeal obstruction due to, 242–3
Meckel's diverticulum, gastrointestinal hemorrhage due to, 203–204, 205–206, 210
Meconium, inspissated, 222–4
Meconium ileus, 222–4
Meconium plug syndrome, 223–4
Mediastinitis, suppurative, 250–52
tuberculous, 252–3
Mediastinum, infection, 250–53
Medical emergencies, symposium on, **1–309**
Medulla, adrenal, insufficiency, 196
tumors, 94
Medulloblastoma, 93, 94
Megacolon, aganglionic, 218–19
vs. meconium plug syndrome, 224
Megimide. See *Bemegride*.
Melena, 201
Meningitis, 78–88
aseptic, 87–8
infectious, nonbacterial, 86–7
purulent, 78–83
tuberculous, 84–6
unconsciousness due to, 12–13
Meperidine poisoning, 59, 60
Mephyton. See *Vitamin* K_1.
Meprobamate poisoning, 65
Meralluride in heart failure, 125, 126
Mercuhydrin. See *Meralluride*.
Mercury. See also *Diuresis; Diuretics*.
poisoning, 57
Metabolic disorders, unconsciousness due to, 9–11
Metabolism, disorders of, laryngeal obstruction due to, 259
Metaraminol bitartrate, in anaphylaxis, 34
in shock, 23
Methocarbamol in black widow spider bite, 48
Methylene blue, in chlorate poisoning, 50
in nitrate poisoning, 59
Midbrain tumors, 94–5
Mononucleosis, infectious, laryngeal obstruction due to, 237–8
Morphine, for pulmonary edema in heart failure, 126
poisoning, 59, 60
Mothballs, poisoning by, 58
Mushroom poisoning, 58
Myoclonus, mass, 103

NALLINE. See *Nalorphine*.
Nalorphine in opiate poisoning, 60
Naphthalene poisoning, 58
Neomycin in meningitis, 79, 80
Nephritis, glomerular, unconsciousness due to, 12
Nephrotoxicity, acute renal failure due to, 156
Nervous system. See also *Brain; Cerebellum;* etc.
central, laryngeal obstruction originating from, 259–60
systemic disorders affecting, unconsciousness due to, 9–15
Neurogenic stridor, 259
Neurologic evaluation in unconscious patient, 4–5

Newborn, adrenal hemorrhage, 196
gastrointestinal hemorrhage, 203–205
Nicotine poisoning, 58–9
Nightshade, black, blue, woody; poisoning by, 63, 64
deadly, poisoning by, 47
Nines, rule of, in burns, 280
Nitrates, poisoning, 59
Norepinephrine. See *Levarterenol bitartrate.*
Normokalemia, potassium deficit with, 142
Normonatremia, sodium deficit with, 142
Nosebleed. See *Nose, hemorrhage.*
Nose, hemorrhage, gastrointestinal hemorrhage due to, 210
Novobiocin in meningitis, 79, 80
Nutrition, in acute renal failure, 172–3
in burns, 293

OBSTRUCTION, intestinal, **215–31**
laryngeal, **233–62**
Oil of wintergreen poisoning, 62, 63
Oleander poisoning, 59
Oliguria. See *Urine, suppression.*
Opiates, poisoning, 59–60
Optic chiasm, tumors, 95
Osmolality, 138
Osmolarity, 139
Oxygen therapy, in heart failure, 123
in laryngotracheobronchitis, 242
Oxytetracycline in meningitis, 80

PAIN, abdominal, vs. adrenocortical insufficiency, 189
Pancreas, annular, 224
Pantothenic acid in tuberculous meningitis, 86
Para-aminosalicylic acid. See *para-Aminosalicylic acid.*
Paradione. See *Paramethadione.*
Paramethadione in convulsions, 110
Pathophysiology in anaphylaxis, 29–31
Penicillin, in Ludwig's angina, 249
in meningitis, 79, 80
in peritonsillar abscess, 234
in syphilitic aortic aneurysm, 250
Peptic ulcer, gastrointestinal hemorrhage due to, 204, 212
Peritoneum, adhesions, 228
Peritonsillar abscess, 234–5
Perphenazine poisoning, 60
Personality, epileptic, 111
Petit mal, 102
Pharyngeal space infection, lateral, 236–7
Phenobarbital in convulsions, 108, 109
Phenobarbital sodium, in grand mal seizures, 105, 107
in status epilepticus, 107
Phenothiazine poisoning, 60
Phosphates, poisoning, 60–61
Phosphorus poisoning, 61
Physicians, iatrogenic adrenal insufficiency, 193
iatrogenic chronic adrenal insufficiency, 185–6
Pigmentation, hyperpigmentation, vs. adrenocortical insufficiency, 189
Pituitary, hypopituitarism, 184–5
Plant poisons, 61–2
Plasma in burns, 282
Pneumoencephalography in convulsions, 104
Pneumomediastinum, 298–9
Pneumonia, 303–305
lobar, 303
staphylococcal, 303, 304
viral, 305
Pneumothorax, tension, 298–9
Poisoning, **41–66**
symptoms and signs, 42–4
therapy, general principles, 44–5
unconsciousness due to, 13–15
Poliomyelitis, laryngeal obstruction due to, 253–4
Polymyxin in meningitis, 79, 80
Polyps, colonic, gastrointestinal hemorrhage due to, 206, 208–10
Pons, tumors, 94
Postanginal sepsis, 237
Potassium deficit, 142
Potassium question in diabetic acidosis, 272
Potassium chloride, in digitalis intoxication, 125
in thallium poisoning, 64
Potassium iodide solution in thallium poisoning, 64
Potassium permanganate solution, in alcohol intoxication, 52
in carbon tetrachloride poisoning, 49
in nicotine poisoning, 59
in nitrate poisoning, 59
in opiate poisoning, 59, 60
Potato poisoning, 64
Procaine amide in digitalis intoxication, 125
Prochlorperazine, for vomiting in renal failure, 172
poisoning, 60
Prophylaxis, tetanus, in burns, 284

Psychomotor seizures, 102
Ptomaine poisoning. See *Food poisoning*.
Puberty, precocious, vs. adrenocortical insufficiency, 188
Pulmonary. See also *Lungs*.
emergencies, **297–309**
Purex. See *Hypochlorite*.
Pylorus, stenosis, hypertrophic, 222
vs. adrenocortical insufficiency, 187
Pyribenzamine. See *Tripelennamine*.
Pyridoxine in tuberculosis, 244
Pyridoxine hydrochloride in tuberculous meningitis, 86
Pyrimethamine in Toxoplasma meningitis, 87

REACTIONS, anaphylactoid, 30
syncopal, vs. anaphylaxis, 32
Rectum. See also *Anus*.
duplication, 225
Renal. See *Kidneys*.
Reserpine, in hypertension complicating renal failure, 173
poisoning, 65
Resin, ammonium carboxylic, in glomerular failure, 165
Retropharyngeal abscess, 235–6
Rheumatic fever, heart failure due to, 118, 119
Rickets, laryngeal obstruction due to, 259
Robaxin. See *Methocarbamol*.
Rule of nines in burns, 280

SALICYLATES, poisoning, 62–3
vs. diabetic acidosis, 265
Salt. See also *Sodium chloride*.
deprivation test, of adrenocortical function, 181
Scopolamine poisoning, 47
Sedation in meningitis, 82
Seizures. See *Convulsions; Epilepsy*.
Sepsis, postanginal, 237
Septicemia vs. adrenocortical insufficiency, 187
Shock, **17–28**
definition, 18
etiologic classification, 18–20
irreversible, 21
therapy, 21–4
Shohl's solution in acidosis accompanying renal tubular failure, 170
Sinus thrombosis. See under *Thrombosis*.
Skin test, tuberculin, in tuberculous meningitis, 85
Skull. See *Cranium*.
Snake bite, 63
Sodium, deficit, 142
in hyponatremia accompanying renal tubular failure, 171
intoxication, cellular, in diabetic acidosis, 272
restriction, in heart failure, 126
Sodium benzoate solution, in carbon tetrachloride poisoning, 49
in DDT poisoning, 51
in naphthalene poisoning, 58
Sodium bicarbonate solution, in boric acid poisoning, 48
in iron sulfate poisoning, 54
in salicylate poisoning, 62, 63
Sodium chloride. See also *Salt*.
in hyponatremia, 125
solution, in glomerular failure, 165
Sodium formaldehyde sulfoxalate in mercury poisoning, 57
Sodium iodide solution in thallium poisoning, 64
Sodium nitrite in cyanide poisoning, 51
Sodium sulfate solution, in carbon tetrachloride poisoning, 49
in chlordane poisoning, 50
in lead poisoning, 56
in naphthalene poisoning, 58
Sodium thiosulfate solution, in cyanide poisoning, 51
in hypochlorite poisoning, 54
in thallium poisoning, 64
Solanaceae, poisoning, 63–4
Solute, 134
Solution. See also *Fluids*.
electrolyte, in diabetic acidosis, 271
hydrating, concentration and solute composition, 147
in dehydration and acid-base imbalance, 149
in metabolic acidosis with dehydration, 151
replacement and maintenance, concentration and solute composition, 148
in dehydration and acid-base imbalance, 150
Shohl's, in acidosis accompanying renal tubular failure, 170
Solvent, 134
Spasm. See also *Convulsions; Epilepsy; Tetany*; etc.
infantile, 103
Spider, black widow, bite, 48
Spinal puncture, lumbar, in convulsions, 103–104
Staphcillin in meningitis, 79, 80
Staphylococci, pneumonia due to, 303, 304

Status asthmaticus, 307–308
Status epilepticus, 106–108
Stelazine. See *Trifluoperazine*.
Stenosis, duodenal, 220
  ileal, 220–21
  jejunal, 220–21
Stokes-Adams syndrome, unconsciousness due to, 12
Stomach, duplication, 225
  inflammation, gastrointestinal hemorrhage due to, 207
  lavage, in poisoning, 44, 45
Stools. See *Feces*.
Streptomycin, in Ludwig's angina, 249
  in meningitis, 79, 80
  in peritonsillar abscess, 234, 235
  in tuberculous meningitis, 85, 86
Stridor, neurogenic, 259
SU-4885 test of adrenocortical function, 179
Subarachnoid hemorrhage, 70–71
    spontaneous, 73–4
    unconsciousness due to, 7
Subdural hematoma, unconsciousness due to, 7
Subdural hemorrhage, 70
Subglottic allergic edema, 257
Submaxillary abscess, 248
Sulfadiazine in meningitis, 79, 80
Supraglottal infection, laryngeal obstruction due to, 233–8
Supraglottic angioedema, 256–7
Surface area-weight equivalents, 267
Sur-Klean. See *Hypochlorite*.
Syncope, laryngeal, 259
  vs. anaphylaxis, 32
Syndavite. See *Vitamin* K_1.
Syndrome, Adams-Stokes, unconsciousness due to, 12
  carotid sinus, unconsciousness due to, 12
  meconium plug, 223–4
  Waterhouse-Friderichsen, 83–4
    and adrenal corticosteroids, 193
Syphilis, laryngeal obstruction due to, 244–5, 249–50
Systemic disorders affecting central nervous system, unconsciousness due to, 9–15
Systemic infection, unconsciousness due to, 12–13

TACHYCARDIA in heart failure, 120
Tannic acid solution, in digitalis poisoning, 52
    in nicotine poisoning, 59
Tension pneumothorax, 298–9
Test, Apt, for fetal or maternal blood, 203
  blood sugar, of adrenocortical function, 180
  ferric chloride, in diabetic acidosis, 267
  Forrest, in phenothiazine poisoning, 60
  intramuscular ACTH, of adrenocortical function, 179
  salt deprivation, of adrenocortical function, 181
  SU-4885, of adrenocortical function, 179
  Thorn, of adrenocortical function, 180
  water load, of adrenocortical function, 179–80
Tetanus, laryngeal obstruction due to, 254–5
  prophylaxis, in burns, 284
Tetany, laryngeal, 259
Tetracycline in meningitis, 80
Thallium poisoning, 64–5
Thorazine. See *Chlorpromazine*.
Thorn test of adrenocortical function, 180
Thrombosis, cerebral, 74–7
  dural sinus, 76
      unconsciousness due to, 8
  lateral sinus, unconsciousness due to, 8
  spontaneous, unconsciousness due to, 7
Tobacco poisoning, 58, 59
Tofranil poisoning, 65
Tonsillectomy, postoperative complications, gastrointestinal hemorrhage due to, 210
Torulosis. See *Cryptococcus meningitis*.
Toxoplasma meningitis, 87
Tracheo-esophageal fistula, 219, 220
Tracheotomy, for burns, 278, 279
  in peritonsillar abscess, 235
Tranquilizers, poisoning, 65
Trauma, unconsciousness due to, 6–7
Tridione. See *Trimethadione*.
Trifluoperazine poisoning, 60
Trilafon. See *Perphenazine*.
Trimethadione in convulsions, 110
Tripelennamine poisoning, 46
Tuberculin skin test in tuberculous meningitis, 85
Tuberculosis, laryngeal, 243–4
Tubules, renal, failure of, therapy, 168–72
Tumors, of brain, 92–6
  of larynx, benign, 255–6
  unconsciousness due to, 8–9

ULCER, peptic, gastrointestinal hemorrhage due to, 204, 212

Unconscious patient, **3–16**
Unconsciousness. See *Coma.*
Urea solution in cerebral edema, 72
Urine, suppression, in renal failure, 161

VANCOMYCIN in meningitis, 79, 80
Varices, esophageal, gastrointestinal hemorrhage due to, 207, 210
Vascular conditions, unconsciousness due to, 7–8
Vasoconstriction, peripheral, maintenance of, in shock, 22–3
Venous thrombosis, 76–7
Versenate. See *Edathamil.*
Versene. See *Calcium disodium versenate.*
Viomycin in tuberculous meningitis, 86
Viruses, laryngeal infection due to, 241–2
  pneumonia due to, 305
Vitamin K_1 in warfarin poisoning, 65
Volvulus, segmental, gastrointestinal hemorrhage due to, 204, 205
Vomiting, in brain tumors, 92, 93
  in intestinal obstruction, 216

WARFARIN poisoning, 65
Waterhouse-Friderichsen syndrome, 83–4
  and adrenal corticosteroids, 193
Water load test, of adrenocortical function, 179–80
Weight-surface area equivalents, 267
Wintergreen, oil of, poisoning by, 62, 63
Wounds. See also *Accidents; Burns; Trauma;* etc.
  burn, closure of, 285–93

YEAST, brewer's, in thallium poisoning, 64, 65